MATERIAL SAFETY DATA SHEET

MSDS NUMBER: 0011-85A

06682511 039 26661

PAGE 1 OF 3

SECTION I - IDENTIFICATION

THE CELOTEX CURPORATION 4010 BOY SCOUT BOULEVARD, TAMPA FL 33607 TELEPHONE: (813) 873-1700

MSDS NUMBER: 0011-85A

EFFECTIVE DATE: 021491

SMITH FUNK TECHNICAL SERVICES (813) 873-4102

TRADE NAME-

ASPHALT SATURATED ROOFING FELT

(ALL GRADES AND TYPES)

SECTION II - INGREDIENTS

CAS NUMBER (%)* OSHA ACGIH COMMENTS INGREDIENT PEL TLV

3052-42-4 53 NONE 5 MG/M3 FUME 9004-34-6 42 5 5 MG/M3 RESP OI ASPHALT 02 CELLULDSE

CARCINOGENICITY: NTP LISTED IARC LISTED CSHA REGULATED INGREDIENT NUMBER(S) NONE NONE NONE

SARA TITLE III SECTION 313: INGREDIENTS LISTED: NONE

* % APPROXIMATE

SECTION III - PHYSICAL DATA

SP. GRAVITY - 1.0 PCT. VOLATILES- N/A BUILING POINT- N/A VAP. PRESSURE- N/A EVAP. RATE - N/A APPEARANCE/ODOR- ELACK MAT. VAP. DENSITY - N/A

SOL. IN WATER- NIL HEAVY PETROLEUM ODOR

SECTION IV - FIRE AND EXPLOSION DATA

FLASH POINT (METHOD)- N/A FLAMMABLE LIMITS - LEL % N/A UEL % N/A EXTINGUISHING MEDIA - CO2, DRY CHEMICAL, WATER FOG SP. FIRE FIGHTING PROCEDURES- SELF-CONTAINED BREATHING APPARATUS UNUSUAL FIRE & EXPL. HAZARDS- NONE KNOWN

NFPA RATINGS: 4-EXTREME, 3-HIGH, 2-MODERATE, 1-SLIGHT, 0-INSIGNIFICANT

PAGE 2 OF 3 MS DS NUMBER: 0011-85A SECTION IV - FIRE AND EXPLOSION DATA (CONTINUED) FLAMMABILITY - 2 - 1 HEALTH REACTIVITY - 0 SPECIAL HAZARDS -SECTION V - HEALTH HAZARD DATA PRIMARY ROUTES OF EXPOSURE- SKIN CONTACT SIGNS AND SYMPTOMS OF OVEREXPOSURE ACUTE - NONE EXPECTED CHRONIC - POSSIBLE SKIN IRRITATION AND DERMATITIS AGGRAVATED MEDICAL CONDITIONS- DERMATITIS EMERGENCY AND FIRST AID PROCEDURES INHALATION- NOT APPLICABLE EYES - FLUSH WITH RUNNING WATER FOR 15 MINUTES - WASH WITH SOAP AND WATER INGESTION - GIVE WATER AND SEEK MEDICAL ATTENTION OTHER - THIS PRODUCT IS NOT EXPECTED TO PRESENT HEALTH HAZARDS UNDER NORMAL USE SECTION VI - REACTIVITY DATA STABLE- X HAZARDOUS POLYMERIZATION-UNSTABLE-CONDITIONS TO AVOID- HONE KNOWN INCOMPATIBILITIES - STRONG OXIDIZERS HAZARDOUS DECOMPOSITION PRODUCTS- NONE KNOWN SECTION VII - SPILL AND LEAK PROCEDURES STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED NORMAL HOUSEKEEPING DISPUSAL METHOD- IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS

VENTILATION- NOT NECESSARY
RESPIRATORY PROTECTION (USE ONLY NIOSH CERTIFIED DEVICES)
NOT NECESSARY
PROTECTIVE CLOTHING- GLOVES AND LONG SLEEVE SHIRT TO PREVENT
PROLONGED SKIN CONTACT
EYE PROTECTION- SAFETY GLASSES OR GOGGLES, AS NECESSARY

SECTION VIII - SPECIAL PROTECTION INFORMATION

		M	Α	T	Ε	R	I	A	L		S	A	F	E	T	Υ	D 	A 	T 	A 		5	H 	E	E.	Т		
MSDS	N L	M	3EF	₹:	ΟŪ	1.	1-8	35	4														Pf	G	Ξ	3	0 F	3
							S E C	т:	CON	I	т- Х			SI) E (CIAL	PR	E C	au	TIO	NS	_						
N	CNE		< NO	ונכ	N																							
				- -							- -					IEV				 E 0			 ΔΤ F	- 				
				1 :	NF) K (OR						· K		-				